

CH

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/076,536	ITABASHI ET AL.	
	Examiner Edna Wong	Art Unit 1753	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to Amendment After Final dated April 15, 2004.
2.  The allowed claim(s) is/are 1 and 3-9.
3.  The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All    b)  Some\*    c)  None    of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |   |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)           |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                              |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|   | 9. <input type="checkbox"/> Other _____   |

  
Edna Wong  
Primary Examiner  
Art Unit: 1753

### **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

Claims **1 and 3-9** are allowable over the prior art of record because the prior art does not teach or suggest an electroless copper plating solution comprising copper ion, a complexing agent for copper ion, a reducing agent for copper ion and a pH adjusting agent, wherein said reducing agent for copper ion is glyoxylic acid or a salt thereof, said pH adjusting agent is potassium hydroxide, and said electroless copper plating solution contains at least one member selected from the group consisting of metasilicic acid, a salt of metasilicic acid, germanium dioxide, a salt of germanic acid, phosphoric acid, a salt of phosphoric acid, vanadic acid, a salt of vanadic acid, stannic acid and a salt of stannic acid in an amount of 0.0001 mol/L or more.

The prior art does not contain any language that teaches or suggests the above. *Datta et al.* do not teach wherein the electroless copper plating solution contains at least one member selected from the group consisting of metasilicic acid, a salt of metasilicic acid, germanium dioxide, a salt of germanic acid, phosphoric acid, a salt of phosphoric acid, vanadic acid, a salt of vanadic acid, stannic acid and a salt of stannic acid in an amount of 0.0001 mol/L or more.

---

Therefore, a person skilled in the art would not have been motivated to adopt the above conditions, and a *prima facie* case of obviousness cannot be established.

Art Unit: 1753


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edna Wong whose telephone number is (571) 272-1349. The examiner can normally be reached on Mon-Fri 7:30 am to 5:00 pm, alt. Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1753



Edna Wong  
Primary Examiner  
Art Unit 1753

EW  
April 22, 2004